

TYP. LOCKER ROOM VARIATIONS

DRAWING NOTES:

- 1. SEE SHEETS 2 OF 4 & 3 OF 4 FOR ALL DETAILS
- 2. SEE SHEET 4 OF 4 FOR TYP. ELEV. DETAILS

GENERAL NOTES

- 1. LOCKERS TO BE STANDARD AS MANUFACTURED BY IDEAL PRODUCTS, INC.
- 2 5/8" FINISHED SPACER, USED FOR CLEARANCE. W/ EDGING TO MATCH LOCKER
- SINGLE END PANELS (SEP)
 SIZE= 3/4" X LOCKER DEPTH PLUS 5/8" AIR SPACE
 X LOCKER HEIGHT
 FINISHED & EDGED TO MATCH LOCKERS
- DOUBLE END PANELS (DEP)

 SIZE= 3/4" X THE DEPTH OF BOTH LOCKERS PLUS

 5/8" AIR SPACE X LOCKER HEIGHT


 FINISHED & EDGED TO MATCH LOCKERS
- 5 FILLERS REQUIRED
 SUPPLIED AT 3/4 X 12 X LOCKER HEIGHT & ARE CUT
 TO FIT ON THE FIELD
 FINISHED TO MATCH LOCKERS
- 6 TLW (TOTAL LOCKER WIDTH)=
 TOTAL NUMBER OF LOCKERS X LOCKER WIDTH +
 1/16" GROWTH ON EVERY ADDED LOCKER

E.G.- FOR A RUN OF SIX 12" WIDE LOCKERS TLW= 72 5/16"

E.G.- FOR A RUN OF SIX 16" WIDE LOCKERS
TLW= 96 5/16"


T CONSULT FACTORY FOR REQUIREMENTS






ISLAND DETAIL F

BACK TO BACK LOCKER LAYOUT (TYP. ON **PENINSULA**)



STRAIGHT DETAIL H





BUILT IN **DETAIL G**

DRAWING NOTES:

- 1. SEE SHEETS 1 0F 4 FOR GENERAL NOTES
 - 2. SEE SHEET 4 OF 4 FOR TYP. ELEV. & DETAILS I & K







DRAWING NOTES:

↑ 1. SEE SHEETS 1 0F 4 FOR GENERAL NOTES

2. SEE SHEET 4 OF 4 FOR TYP. ELEV. DETAIL



